



***Medium Duty  
Truck Applications***

---

***[www.valeoclutches.com](http://www.valeoclutches.com)***



# MEDIUM DUTY TRUCK APPLICATIONS

YEARS	ENGINE	CSI	CSM	DESCRIPTION	KIT
<b>Chevrolet Trucks</b>					
<b>C-Series</b>					
	350. 366 8 Cyl	12.25	310	Push-Type Clutch (Spicer Style) w/o T/O Bearing	53056401
	350. 366 8 Cyl	12.25	310	Push-Type Clutch (Spicer Style) Incl. T/O Bearing	53056402
07-03	CAT 3116 Eng., 6.6l, 7.1l, 8.1l	13	330	Push-Type Clutch Incl 6.0l Duramax	53306405
07-03	CAT 3116 Eng., 6.6l, 7.1l, 8.1l	13	330	Push-Type Clutch w/o T/O Bearing Incl 6.0l Duramax	53306406
02-01	CAT 3116 Eng., 6.6l, 7.1l, 8.1l	13	330	Push-Type Clutch	53306404
01-94	427, 454 7.4l, CAT 3116 Eng.	13	330	Gas, Push-Type Clutch	53306403
01-94	427, 454 7.4l, CAT 3116 Eng.	13	330	* Use w/ Hydraulic Bearing Application w/o T/O Bearing	53306401
93-90	350 5.7l, 366 6.0l, 427 7.0l	13	327		53272207
93-90	350 5.7l, 366 6.0l, 427 7.0l	13	327	CB Disc	53272208
93-90	350 5.7l, 366 6.0l, 427 7.0l	13	327	Optional Diaphragm CB Disc	53272209
89-85	350 5.7l, 366 6.0l, 427 7.0l	13	327	CB Disc	53272203
89-85	350 5.7l, 366 6.0l, 427 7.0l	13	327	Optional Diaphragm	53272202
84-65	350 5.7l, 366 6.0l, 427 7.0l	13	327		53272201
84-65	350 5.7l, 366 6.0l, 427 7.0l	13	327	CB Disc option for 53272201	53272205
67-63	212 3.5l	13	327	4-53N Detroit Diesel, CB Disc	53272204
72-62	327 5.4l, 409 6.7l	13	327		53272201
72-62	327 5.4l, 409 6.7l	13	327	CB Disc option for 53272201	53272205
- 1997	CAT 3126 Eng.	14	355	CAT 3126 Eng., Eaton Trans.	53556401
- 1997	CAT 3126 Eng.	14	350	560 Self Adjusting for 53556401	53506401
	CAT 3116/3208	14	350	Push-Type Clutch (Spicer Style) w/o T/O Bearing	53556403
	CAT 3116/3208	14	350	Push-Type Clutch (Spicer Style) Incl. T/O Bearing	53556405
<b>Kodiak</b>					
	350. 366 8 Cyl	12.25	310	Push-Type Clutch (Spicer Style) w/o T/O Bearing	53056401
	350. 366 8 Cyl	12.25	310	Push-Type Clutch (Spicer Style) Incl. T/O Bearing	53056402
07-03	CAT 3116 Eng., 6.6l, 7.1l, 8.1l	13	330	Push-Type Clutch	53306405
02-01	CAT 3116 Eng., 6.6l, 7.1l, 8.1l	13	330	Push-Type Clutch	53306404
96-94	427, 454 7.4l, CAT 3116 Eng.	13	330	Gas, Push-Type Clutch	53306403
96-94	427, 454 7.4l, CAT 3116 Eng.	13	330	* Use w/ Hydraulic Bearing Application w/o T/O Bearing	53306401
94-90	427, 454 7.4l, CAT 3116 Eng.	13	327		53272209
93-85	350 5.7l, 366 6.0l, 427 7.0l	13	327	CB Disc	53272203
93-85	350 5.7l	13	327	Optional Diaphragm	53272202
84-65	350 5.7l, 427 7.0l	13	327		53272201
84-65	350 5.7l, 427 7.0l	13	327	CB Disc option for 53272201	53272205
67-63	212 3.5l	13	327	4-53N Detroit Diesel, CB Disc	53272204
72-62	327 5.4l, 409 6.7l	13	327		53272201
72-62	327 5.4l, 409 6.7l	13	327	CB Disc option for 53272201	53272205
	CAT 3116/3208	14	350	Push-Type Clutch (Spicer Style) w/o T/O Bearing	53556403
	CAT 3116/3208	14	350	Push-Type Clutch (Spicer Style) Incl. T/O Bearing	53556405
- 1990	CAT 3116/3126 Eng.	14	355	Eaton/Spicer Trans.	53556402
- 1990	CAT 3116/3126 Eng.	14	350	560 Self Adjusting for 53556402	53506402
<b>T-Series</b>					
1997	427 Eng., CAT 3116 Eng.	13	330	Gas, Push-Type Clutch	53306403
1997	427 Eng., CAT 3116 Eng.	13	330	* Use w/ Hydraulic Bearing Application w/o T/O Bearing	53306401
- 1997	CAT 3116/3126 Eng.	14	355	Eaton/Spicer Trans.	53556402
- 1997		14	350	560 Self Adjusting for 53556402	53506402
<b>Dodge Trucks</b>					
<b>400/500-Series</b>					
82-60	5.2L	13	330	5.2L, Clutch Lever Style	53301403
82-60	5.2L	13	330	5.2L, Clutch Diaphragm Option	53301404
82-67	5.9L	13	330	5.9L Gas Lever Style	53301403
82-67	5.9L	13	330	5.9L Gas Diaphragm Option	53301404
84-71	5.9L	11	280	V8 Cover (167341) Disc (803510)	
<b>Ford Trucks</b>					
<b>F, B, &amp; L(Cargo)-Series</b>					
78-65	3.9L Eng.	11	280		52802019
78-65	3.9L Eng.	11	280	Optional Diaphragm	52802021
78-65	4.9L Eng.	11	280		52802019
78-65	4.9L Eng.	11	280	Optional Diaphragm	52802021
79-65	4.9L Eng.	12	305		53052004
76-66	4.9L Eng.	13	330		53272001
76-66	4.9L Eng.	13	330	CB Disc	53272002
76-66	4.9L Eng.	13	330	Optional Diaphragm CB Disc	53302006
86-55	5.4L , 5.9L Eng.	13	330		53272001
86-55	5.4L , 5.9L Eng.	13	330	CB Disc	53272002

"Spicer" is a registered trademark of the Eaton Corp



## MEDIUM DUTY TRUCK APPLICATIONS

YEARS	ENGINE	CSI	CSM	DESCRIPTION	KIT
<b>Ford Trucks (Continued)</b>					
<b>F, B, &amp; L(Cargo)-Series (Continued)</b>					
86-55	5.4L , 5.9L Eng.	13	330	Optional Diaphragm	53302005
86-55	5.4L , 5.9L Eng.	13	330	Optional Diaphragm CB Disc	53302006
82-79	6.0L Eng.	13	330		53272001
82-79	6.0L Eng.	13	330	CB Disc	53272002
82-79	6.0L Eng.	13	330	Optional Diaphragm	53302005
82-79	6.0L Eng.	13	330	Optional Diaphragm CB Disc	53302006
07-03	6.0L Eng.	13	330	Solid Flywheel option, use with 167582 F/W	
93-79	6.1L Eng.	13	330		53272001
93-79	6.1L Eng.	13	330	CB Disc	53272002
93-79	6.1L Eng.	13	330	Optional Diaphragm	53302005
93-79	6.1L Eng.	13	330	Optional Diaphragm CB Disc	53302006
79-64	6.4L Eng.	13	330		53272001
79-64	6.4L Eng.	13	330	CB Disc	53272002
79-64	6.4L Eng.	13	330	Optional Diaphragm	53302005
79-64	6.4L Eng.	13	330	Optional Diaphragm CB Disc	53302006
93-79	7.0L Eng.	13	330		53272001
93-79	7.0L Eng.	13	330	CB Disc	53272002
93-79	7.0L Eng.	13	330	Optional Diaphragm	53302005
93-79	7.0L Eng.	13	330	Optional Diaphragm CB Disc	53302006
02-99	7.3L Eng.	13	330		53302001
98-94	7.3L Eng.	13	330	Solid Flywheel option, use with 167458 F/W	53302004
84-63	7.7L Eng.	13	330		53272001
84-63	7.7L Eng.	13	330	CB Disc	53272002
84-63	7.7L Eng.	13	330	Optional Diaphragm	53302005
84-63	7.7L Eng.	13	330	Optional Diaphragm CB Disc	53302006
	8.2L Eng.	14	350	Detroit Diesel, Push-Type Clutch (Spicer Style) w/o T/O Bearing	53556403
	5.9L, 6.6L Eng.	14	355	CAT 3208 Diesel (Late Pull Type) CAT 3126 Ford FD1060 FD1460 Cummins Incl 7.8 & 8.3 Ford Diesel & Cargo	53556401
	6.6L, 5.9L Eng.	14	350	CAT 3208 Diesel (Late Pull Type) CAT 3126 Ford FD1060 FD1460 Cummins Self Adjusting for 53556401	53506401
<b>Freightliner Trucks</b>					
<b>M &amp; FL-Series</b>					
	B5.9, C8.3 Eng.	14	355	Cummins 1 3/4" 10	53556401
	B5.9, C8.3 Eng.	14	350	Cummins 1 3/4" 10 Self Adjusting for 53556401	53506401
	B5.9, C8.3 Eng.	14	355	Cummins 2" 10	53509278
	B5.9, C8.3 Eng.	14	350	Push-Type Clutch (Spicer Style) w/o T/O Bearing	53556403
	B5.9, C8.3 Eng.	14	350	Push-Type Clutch (Spicer Style) Incl. T/O Bearing	53556406
<b>GMC Trucks</b>					
<b>C-Series</b>					
	350. 366 8 Cyl	12.25	310	Push-Type Clutch (Spicer Style) w/o T/O Bearing	53056401
	350. 366 8 Cyl	12.25	310	Push-Type Clutch (Spicer Style) Incl. T/O Bearing	53056402
07-03	CAT 3116 Eng., 6.6l, 7.1l, 8.1l	13	330	Push-Type Clutch Incl 6.0l Duramax	53306405
07-03	CAT 3116 Eng., 6.6l, 7.1l, 8.1l	13	330	Push-Type Clutch w/o T/O Bearing Incl 6.0l Duramax	53306406
02-01	CAT 3116 Eng., 6.6l, 7.1l, 8.1l	13	330	Push-Type Clutch	53306404
01-94	427, 454 7.4l, CAT 3116 Eng.	13	330	Gas, Push-Type Clutch	53306403
01-94	427, 454 7.4l, CAT 3116 Eng.	13	330	* Use w/ Hydraulic Bearing Application w/o T/O Bearing	53306401
93-90	350 5.7l, 366 6.0l, 427 7.0l	13	327		53272207
93-90	350 5.7l, 366 6.0l, 427 7.0l	13	327	CB Disc	53272208
93-90	350 5.7l, 366 6.0l, 427 7.0l	13	327	Optional Diaphragm CB Disc	53272209
89-85	350 5.7l, 366 6.0l, 427 7.0l	13	327	CB Disc	53272203
89-85	350 5.7l, 366 6.0l, 427 7.0l	13	327	Optional Diaphragm	53272202
84-65	350 5.7l, 366 6.0l, 427 7.0l	13	327		53272201
84-65	350 5.7l, 366 6.0l, 427 7.0l	13	327	CB Disc option for 53272201	53272205
67-63	212 3.5l	13	327	4-53N Detroit Diesel, CB Disc	53272204
72-62	327 5.4l, 409 6.7l	13	327		53272201
72-62	327 5.4l, 409 6.7l	13	327	CB Disc option for 53272201	53272205
- 1997	CAT 3126 Eng.	14	355	Eaton Trans.	53556401
- 1997	CAT 3126 Eng.	14	350	560 Self Adjusting for 53556401	53506401
<b>Topkick</b>					
	CAT 3116/3208	14	350	Push-Type Clutch (Spicer Style) w/o T/O Bearing	53556403
	CAT 3116/3208	14	350	Push-Type Clutch (Spicer Style) Incl. T/O Bearing	53556405
	350. 366 8 Cyl	12.25	310	Push-Type Clutch (Spicer Style) w/o T/O Bearing	53056401
	350. 366 8 Cyl	12.25	310	Push-Type Clutch (Spicer Style) Incl. T/O Bearing	53056402

"Spicer" is a registered trademark of the Eaton Corp

# MEDIUM DUTY TRUCK APPLICATIONS

YEARS	ENGINE	CSI	CSM	DESCRIPTION	KIT
<b>GMC Trucks (Continued)</b>					
<b>Topkick (Continued)</b>					
07-03	CAT 3116 Eng., 6.6l, 7.1l, 8.1l	13	330	Push-Type Clutch	53306405
02-01	CAT 3116 Eng., 6.6l, 7.1l, 8.1l	13	330	Push-Type Clutch	53306404
96-94	427, 454 7.4l, CAT 3116 Eng.	13	330	Gas, Push-Type Clutch	53306403
96-94	427, 454 7.4l, CAT 3116 Eng.	13	330	* Use w/ Hydraulic Bearing Application w/o T/O Bearing	53306401
94-90	427, 454 7.4l, CAT 3116 Eng.	13	327		53272209
93-85	350 5.7l, 366 6.0l, 427 7.0l	13	327	CB Disc	53272203
93-85	350 5.7l	13	327	Optional Diaphragm	53272202
84-65	350 5.7l, 427 7.0l	13	327		53272201
84-65	350 5.7l, 427 7.0l	13	327	CB Disc option for 53272201	53272205
67-63	212 3.5l	13	327	4-53N Detroit Diesel, CB Disc	53272204
72-62	327 5.4l, 409 6.7l	13	327		53272201
72-62	327 5.4l, 409 6.7l	13	327	CB Disc option for 53272201	53272205
	CAT 3116/3208	14	350	Push-Type Clutch (Spicer Style) w/o T/O Bearing	53556403
	CAT 3116/3208	14	350	Push-Type Clutch (Spicer Style) Incl. T/O Bearing	53556405
- 1990	CAT 3116/3126 Eng.	14	355	Eaton/Spicer Trans.	53556402
- 1990	CAT 3116/3126 Eng.	14	350	560 Self Adjusting for 53556402	53506402
<b>T-Series</b>					
1997	427, 454 7.4l, CAT 3116 Eng.	13	330	CAT 3116 Eng., Push-Type Clutch	53306403
1997	427, 454 7.4l, CAT 3116 Eng.	13	330	* Use w/ Hydraulic Bearing Application w/o T/O Bearing	53306401
- 1997	CAT 3116/3126 Eng.	14	355	Eaton/Spicer Trans.	53556402
- 1997		14	350	560 Self Adjusting for 53556402	53506402
<b>W4-Series</b>					
90-84	3.9L Eng.	11	275	Cover (802462)	
<b>W6-Series</b>					
89-87	5.8L	13	325	w/o Turbo, 6BD1 Eng. Cover (802461) Bearing (804141)	
<b>W7-Series</b>					
88-84	5.8L	14	350	w/ Turbo, 6BD1T Eng. Disc (803600) Bearing (804141)	
<b>Hino</b>					
<b>FB14</b>					
88-87	3.9L	12	305	W04C-T Eng.	53059276
<b>FD16, FE16</b>					
88-85	6.0L	13	325	W06E Eng.	53259277
<b>FG17, SG23</b>					
88-86	6.5L	15	380	H06TH Eng.	53809278
<b>FF17, FE17</b>					
88-85	6.7L	14	350	H07C Eng.	53509285
<b>Hyundai</b>					
<b>Bering Eng</b>					
		15	380	15" x 1 1/2" x 14T, 9 Spring Disc	53802601
<b>Isuzu Trucks</b>					
<b>EVR, W7T</b>					
88-87	MT	14	356	To 8/88 (Spicer Style)	53502801
98-87		14	356	Fr 12/87- To 5/89 (Spicer Style)	53502801
91-90	MLH5G	14	356	(Spicer Style)	53502801
1992	MLD6F	14	356	(Spicer Style)	53502801
<b>FTR, W7M, T70, T7000</b>					
88-84	6BD1T	14	356	To 6/88 (Spicer Style)	53502801
91-87	6BD1	14	356	Fr 11/87 (Spicer Style)	53502801
93-88	6BG1	14	356	Fr 2/88- To 5/93	53502801
96-93		14	356	Fr 6/93	53502801
02-97	ALL	14	356	(Spicer Style)	53502801
<b>FVR, W7H, T70, T7000</b>					
91-87	ISUZU/MT	14	356	Fr 11/87 (Spicer Style)	53502801
89-87		14	356	Fr 12/87- To 5/89 (Spicer Style)	53502801
91-90	MLH5G/FS6106A	14	356	(Spicer Style)	53502801
96-90	MLD6F	14	356	(Spicer Style)	53502801
02-97	ALL	14	356	(Spicer Style)	53502801
<b>NPR, W4</b>					
90-84	3.9L Eng.	11	275	CB Disc	52759276
90-85	3.9L Eng.	11	275	Org. Facing	52759277
90-86	3.9L Eng.	12	305		53059277
95-90	3.9L Eng.	12	305		53059278
01-98	3.9L Eng.	13	325	4HEI, w/ Hydro Brake Booster	53252201

"Spicer" is a registered trademark of the Eaton Corp



## MEDIUM DUTY TRUCK APPLICATIONS

YEARS	ENGINE	CSI	CSM	DESCRIPTION	KIT
<b>Isuzu Trucks (Continued)</b>					
<b>NPR, W4 (Continued)</b>					
01-98	3.9L Eng.	13	325	4HEI, w/o Hydro Brake Booster	52982204
<b>FSR, FTR</b>					
02-87	5.8L	13	325	w/o Turbo, 6BD1 Eng.	53259278
02-84	5.8L	14	350	w/ Turbo, 6BD1T Eng.	53509286
<b>Kenworth Trucks</b>					
<b>K &amp; T-Series</b>					
	B5.9, C8.3 Eng.	14	355	K330, 333 & T300	53556401
	B5.9, C8.3 Eng.	14	355	Cummins 2" 10	53509278
	B5.9, C8.3 Eng.	14	350	K330, 333 & T300 Self Adjusting for 53556401	53506401
<b>Mack</b>					
<b>CS-Series</b>					
	CS200/CS250	14	350	Eaton/Spicer Trans, Org. Facing	53509280
	CS200/CS250	14	350	Eaton/Spicer Trans, Org. Facing	53509281
	CS200/CS250	14	350	RVI Trans, Cer. Button	53509282
	CS200/CS250	14	350	Eaton/Spicer Trans, Cer. Button	53509283
	CS200/CS250	14	350	RVI Trans, Org. Facing	53509284
<b>MS-Series</b>					
	MS 200/MS 250	14	350	Eaton/Spicer Trans, Cer. Button	53509283
	MS 200/MS 250	14	350	Eaton/Spicer Trans, Org. Facing	53509280
	MS 200/MS 250	14	350	Eaton/Spicer Trans, w/DPH, Org. Facing	53509281
	MS 200/MS 250	14	350	RVI Trans, Cer. Button	53509282
	MS 200/MS 250	14	350	RVI Trans, Org. Facing	53509284
	MS 300	15	380	RVI Trans, Cer. Button Pot Style F/W	53809275
	MS 300	15	380	RVI Trans, Org. Facing Pot Style F/W	53809276
	MS 300	15	380	RVI Trans, Org. Facing, Rigid Disc Pot Style F/W	53809277
<b>Mercedes Benz Trucks</b>					
<b>L-Series</b>					
72-69	L 1317/1319	14	350	Cover (355106) Disc (355128) 10T Spline	
87-70	L 1116/1316	12	310	Bearing (358339)	
87-70	L 1013	12	310	Bearing (358339)	
1984	L 1013	11	280	Bearing (358339)	
88-84	L 1117/1317	13	330		53303801
<b>LP-Series</b>					
72-69	LP 1216	14	350	Disc (355128) Bearing (358339)	
73-70	LP 1013/1113	11.5	295	Disc (355132) Bearing (358339)	
<b>LPS-Series</b>					
91-85	LPS1525	16.5	415		54153801
<b>Mitsubishi Fuso</b>					
<b>FE-Series, FE 434</b>					
89-87	3.3L (4 cyl)	11	275	4D31T Eng.	52759275
<b>FH-Series</b>					
89-87	4.9L (6 cyl)	12	305	6D31T	53059275
<b>FK-Series, FK 415</b>					
89-85	6.6L (6 cyl)	13	325	6D14-2A Eng.	53259275
<b>FM-Series</b>					
89-85	6.6L (6 cyl)	14	350	6D14-2AT Eng.	53509276
<b>Navistar (International)</b>					
<b>BD, C, D, DT, DV, RD, V &amp; VS-Series</b>					
		14	355	Diesel-DT360, DT466, 530, DT531	53556401
		14	355	Diesel-DT360, DT466, 530, DT532 Self Adjusting for 53556401	53506401
96-65	6 & 8 cyl.	14	350	D354,V304, V345, V549, VS549, 392BC150, BD100, DV550,RD372 (Spicer Style) w/o T/O Bearing	53556403
96-65	6 & 8 cyl.	14	350	D354,V304, V345, V549, VS549, 392BC150, BD100, DV550,RD372 (Spicer Style) Incl. T/O Bearing	53556404
	7.3L	14	350	444E (Spicer Style) w/o T/O Bearing	53556403
	7.3L	14	350	444E (Spicer Style) Incl. T/O Bearing	53556404
<b>Nissan UD</b>					
<b>All</b>					
87-86	6.9L	13	330	CLA83, CAM83, CPB12	53254001
1987	7.4L	15	381	CPB14, CPC14, CPC15, w / RL Plate	53804002

"Spicer" is a registered trademark of the Eaton Corp

## MEDIUM DUTY TRUCK APPLICATIONS

YEARS	ENGINE	CSI	CSM	DESCRIPTION	KIT
<b>Nissan UD (Continued)</b>					
<b>1800/HD</b>					
04-92	FE6TA & TA	13.75	350	Ceramic Button Disc	53554001
04-92	FE6TA & TA	13.75	350	Organic Disc	53554002
<b>2000</b>					
04-92	FE6TA & TA	13.75	350	Ceramic Button Disc	53554001
04-92	FE6TA & TA	13.75	350	Organic Disc	53554002
<b>2300/DH/LP</b>					
04-89	FE6TA	13.75	350	Ceramic Button Disc	53554001
04-89	FE6TA	13.75	350	Organic Disc	53554002
<b>2600</b>					
04-89	FE6TA & TA	13.75	350	Ceramic Button Disc	53554001
04-89	FE6TA & TA	13.75	350	Organic Disc	53554002
<b>2800</b>					
94-89	FE6TA & TA	13.75	350	Ceramic Button Disc	53554001
94-89	FE6TA & TA	13.75	350	Organic Disc	53554002
<b>3000, 3000SD</b>					
00-92	FE6TA	13.75	350	Ceramic Button Disc	53554001
00-92	FE6TA	13.75	350	Organic Disc	53554002
<b>3000HD</b>					
94-92	FE6TA	14.875	380		53804002
<b>550/600T/3300</b>					
94-89	FE6TA & TA	14.875	380		53804002
<b>3300</b>					
00-99	FE6TA	13.75	350	Ceramic Button Disc	53554001
00-99	FE6TA	13.75	350	Organic Disc	53554002
<b>Peterbilt</b>					
<b>All</b>					
	200-30, 200-33	14	355	1 3/4" 10 Pull Type	53556401
	200-30, 200-33	14	350	2" 10 Pull Type	53509278
<b>Scania</b>					
<b>R, T-Series, R112, T112</b>					
88-85		17	430	w/o Bearing	54309276
<b>Volvo Trucks</b>					
<b>FE-Series</b>					
1992	CAT 3116 Eng.	14	350		53506602
1992	CAT 3116 Eng.	14	350	Self Adjusting for 53506602	53506605
1993	CAT 3116 Eng.	14	350		53556401
1993	CAT 3116 Eng.	14	350	Self Adjusting for 53556401	53506401

"Spicer" is a registered trademark of the Eaton Corp